


Single Mode Attenuation Patchcord



Plank Optoelectronics Inc. is an industrial pioneer as well as a professional developer and manufacturer of fiber optical communication components. Our optical products are widely deployed in high-capacity broadband networks with advancing of Fiber Optics technologies. Based on our long-term researching and improving on All-Fiber manufacturing process, we are capable of providing a variety of low insertion loss and high reliability attenuator products.



Plank Attenuation Patchcord comprises traditional optical bulk-head attenuator and patchcord. By using the Attenuation Patchcord, system builders will be able to get instant benefits from both of the shortening installation time and material procurement cost

Specifications

Patchcord Type Attenuator	
Connector Type	SC, FC, ST, LC, MU, E2000
Mode	Single-mode
Operating Wavelength (nm)	1310,1480,1550 or1610
Bandwidth (nm)	+/-10
PDL(dB)	<= 0.25
Attenuation (dB)	1-20
Cable diameter (mm)	PVC3.0
Cable length (M)	0.5~5.0
Tolerance (dB)	1 ~ 10dB : ≤ 0.5dB 11 ~ 20dB : ≤ 1.0dB
** Operation temp.(°C) = -20 to +70	
** Storage temp.(°C) = -40 to +85	

Plank Optoelectronics Inc.

11F-2, No.99, Sec.1, Nankan Rd., Lujhu District, Taoyuan 338, TAIWAN, R.O.C.
TEL : 886 3 2227887 FAX : 886 3 2125404